



SUPERCOOL CREATIVE CULTURE & SUPERCOOL ROOFING

• ANWHOLE NEW EXPRESSION OF REFINED MODERN LIVING

Kuala Lumpur Headquarters
No.12 & 14, Jalan Permai 4, Taman Perindustrian
Puchong Permai, 47150 Selangor
Tel: +603 5885 1180 Fax: +603 5885 1198
Hp: +6012 312 3619 (Royce)

www.supercool.com.my

Johor Bahru Branch
No.90, Jalan Bertam 5, Taman Daya,
81100 Johor Bahru.
Tel: +607 353 1180 Fax: +607 353 0188
Hp: +6012 755 2515 (Derrick)

Seremban S2 Branch
181-1st Floor, Jln S2 B3, Seremban Two,
70300 Negeri Sembilan D.K.
Tel: +606-601 2502 Fax: +606-601 1410
Hp: +6012 425 8850 (Jeff)

For more information, please contact us at +603 5885 1180 or sales@supercool.com.my



Sin Chew
Business Excellence Awards 2014

We accept **0% INTEREST**



01



POLYCARBONATE & LAMINATE GLASS SKYLIGHT

Hassle free during rainy and sunny day. A perfect choice to create a covered area within your garden or backyard with the benefit of UV ray protection. You are not only getting the natural sun with higher heat resistance but also stylish and modern outlook.

04



ROOF TILES & GAZEBOS

Roof tiles and gazebos are great accent to any outdoor areas. With a touch of classic and luxury design that draw the details of comfort, style and class to your daily lives.



02



PERGOLA

Inspiring plans for your garden shed or car porch to fit every occasion and lifestyle. Modern design of this pergola series brings natural paradise to your home.



05



TIMBER DECK, FENCE & RAILING

The versatility of our wood fence, gate and deck gives a great scope for architectural expression. Along with the variety of styles and sizes, own a beautiful home of finely crafted landscape, idyllic walk way and luxury pool side.



03



INDUSTRIAL DECK ROOFING

The Industrial Roofing is structured to suit every type of roofing project and best of all, you can have this added value at market competitive pricing!

LAMINATED SHINGLES

For durability, low maintenance, and great look at a very attractive price, look to our Cambridge premium architectural single. Cambridge shingles are built to last. Double-layer construction and a tough, modified sealant provide for superior tear strength values and greater resistance to high winds.

- Premium fibreglass asphalt shingle
- Laminated architectural design
- Class "A" Fire Resistance Rating
- Limited wind warranty coverage up to 145 km/h (90 mph) for Cambridge 50 AR
- 112 KM/H (70 mph) for Cambridge 30
- Limited 50-year or 30-year Warranty



Aluminium Composite Panel

Aluminium Composite Panel (ACP) is manufactured to the highest standard for outdoor shadings solution.

With the most stringent in house QC test, we are giving you the perfect outdoor shadings solution for today, and for years to come.

It provides curved and straight profiles in a choice of different colours to meet your aesthetic requirement.

Product Advantages

Easy and Fast Installation

Timeless Appearance

Colour Uniformity

Recyclable

Maintenance Free

Superior Machinability


Eco-Friendly

Great Value of Price

ACP Dimensions

Standard Width	: 1220mm
Standard Length	: 2440mm (8ft)
	3660mm (12ft)
	4270mm (14ft)
	4880mm (16ft)
	6100mm (20ft)
Available Thickness	: 4mm

Panel Composition





Supercool Creative Culture Sdn. Bhd.
(874137-M)



www.supercool.com.my



562 777 207 352
(Supercool Creative Culture Sdn Bhd)

Kuala Lumpur
No 28, Jalan PP 16/3,
Perdana Industrial Park,
Taman Putra Perdana,
47130 Puchong, Selangor.

☎ 03-5888 9169
1700 81 9169 (Careline)

☎ 012-7219 169
012-4288 990
012-3123 619

✉ sales@supercool.com.my

Design | Fabricate | Supply | Install

Aluminium Composite Panel

Durable
Weather Resistance
Heat & Sound Insulation



Laminated Glass Skylight

Supercool Creative Culture Sdn. Bhd.
(874137-M)

No 28, Jalan PP 16/3,
Perdana Industrial Park,
Taman Putra Perdana,
47130 Puchong, Selangor.

Careline :
1700 81 9169

Office :
03-5888 9169

WhatsApp : 012-7219 169
012-4288 990
012-3123 619

Email : sales@supercool.com.my



Energy Saving Laminated Safety Glass

Design | Fabricate | Supply | Install

www.supercool.com.my



562 777 207 352

(Supercool Creative Culture Sdn Bhd)



Laminated Glass



A type of safety glass that holds together when shattered. In the event of breaking, It is held in place by an interlayer, typically of Polyvinyl Butyral (PVB). Ethylene-Vinyl Acetate (EVA), or Thermo-Plastic Polyurethane (TPU), between its two or more layers of glass.

Application

- Steam window, doors
- Glass car windscreen
- Hotel doors
- Greenhouse, Skylights & Roofs
- Wall cladding
- High risk building



Heat is generated by INFRARED. IRglass can reject 94.2%, compare 54.4% ordinary laminated glass. Therefore, it can save the electricity (air conditioning) used because heat has decreased.

Specifications

Type of Glass	FULL IR Rejection (%)	UV Rejection(%)	VL Transmission	SHGC
12.38mm IRglass Clear Laminated Glass	90.7%	99.0%	74.6%	0.464
12.38mm IRglass Green Laminated Glass	93.9%	99.0%	61.9%	0.378
12.38mm IRglass Grey Laminated Glass	95.2%	99.0%	34.9%	0.219
12.38mm IRglass Bronze Laminated Glass	94.9%	99.0%	40.9%	0.254
12.38mm IRglass Blue Lamiated Glass	93.8%	99.0%	28.0%	0.186
12.38mm IRglass Translucent White Laminated Glass	98.1%	99.0%	6.90%	0.046
12.38mm IRglass Solid White Laminated Glass	100%	99.0%	0.10%	0.002

** Above data are just as reference and indicative figures. The actual performance may slightly vary and the data above is intended solely as guide.





Supercool Creative Culture Sdn. Bhd.
(874137-M)

www.supercool.com.my



562 777 207 352

(Supercool Creative Culture Sdn Bhd)

Kuala Lumpur

Design | Fabricate | Supply | Install

📍 No 28, Jalan PP 16/3,
Perdana Industrial Park,
Taman Putra Perdana,
47130 Puchong, Selangor.

☎ **03-5888 9169 / 1700 81 9169** (Careline)

📞 012-7219 169 / 012-4288 990 / 012-3123 619

✉ sales@supercool.com.my

**Laminated
Shingles Roof**


Laminated Shingles




For durability, low maintenance, and great looks at a very attractive price, look to our premium architectural shingles. Cambridge shingles are built to last. Double-layer construction and a tough, modified sealant provide for superior tear strength values and greater resistance to high winds. Cambridge shingles are manufactured in a large size than most, with the added exposure enhancing the shake-like appearance. Cambridge is available in the unique, computer-generated colour blends of our “Nature’s Accents” Colour series.

- Premium fibreglass asphalt shingle
- Laminated architectural design
- Class “A” Fire Resistance Rating*
- Limited wind warranty coverage up to 145 km/h (90 mph) for Cambridge 50 AR 112 KM/H (70 mph) for Cambridge 30
- Limited 50-year or 30-year Warranty*


Colour Collection




DUAL BLACK




HARVARD SLATE




DUAL BROWN




DRIFTWOOD




EARTHTONE




CHARCOAL




WEATHERWOOD



AGED REDWOOD



RIVIERA RED



NATIONAL BLUE

* Note : To ensure complete satisfaction please make final colour selection from actual shingle samples.



Specification

Limited Warranty	: 30 Years
Iron Clad Protection	: 3 Years
Limited Wind Warranty	: 115 km/h (72 mph)
Limited High Wind Warranty Upgrade	: 125 km/h (78 mph)
Blue-green Algae Resistance	: Yes

Length	: 1038 mm (40 7/8 in)
Height	: 349 mm (13 3/4 in)
Exposure	: 149 mm (5 7/8 in)
Coverage Per Bundle	: 3.1 m ² (33 1/3 ft ²)

Standards

- ASTM D3462
- ASTM D3018
- ASTM D7158 - Class H
- ASTM D3161 - Class F
- ASTM E108 - Class A



Supercool Creative Culture Sdn. Bhd.
(874137-M)

www.supercool.com.my



Kuala Lumpur

Design | Fabricate | Supply | Install

📍 No 28, Jalan PP 16/3,
Perdana Industrial Park,
Taman Putra Perdana,
47130 Puchong, Selangor.



☎ 03-5888 9169 / 1700 81 9169 (Careline)

📞 012-7219 169 / 012-4288 990 / 012-3123 619

✉ sales@supercool.com.my



Maybank

562 777 207 352

(Supercool Creative Culture Sdn Bhd)



POLYCARBONATE SHEET

High performance PC Sheet products designed for industrial, commercial, leisure and domestic applications where insulating glazing is required.



Recognized not only for its clarity, safety, security and energy savings, but also for the design freedom it provides to architects.

Valuable Features



PC Sheet is available in several transparent colour. It offers a choice of smooth or textured surface. Perhaps even more useful are the following extraordinary features:

- Excellent transparency
- High plasticity-malleable into your required shapes
- Impact resistant, unbreakable and shockproof
- Heat-resistant and with fire extinguishing features
- Long-term anti-UV effectiveness
- Save electricity
- Energy savings
- Light weight but hard-only half the weight of glass and 250 times harder than glass and several hundred times harder than acrylic
- Easy transportability and installation
- Anti theft
- 10 years warranty
- High degree of transparency and thermal insulation



PC Sheet use virgin resin from top supplies all around the world. These quality - controlled raw materials, coupled with the state-of-the-art production technology assure that PC Sheet will meet or exceed the quality of any directly competitive product in the market today.



Suited for Varied Application

- Commercial Building High-rise and multi-dimensional complexes
- Individual outlets like banks, jewellery and fashion
- Boutiques, Showrooms, Hotels, Restaurants and Refilling Stations
- Industrial and Manufacturing Plants Residential
- Buildings Sports, Leisure and Recreational Building Structures



S-Pentile Solid Roof



A unique wavy "S" profile with clean lines yielding bold European Architecture.



Technical Specifications

Overall Dimension : **420 x 280 mm**

Unit Weight : **~3.5 kg**

Min Roof Pitch : **20°**

Battern Spacing : **345 +/- 3 mm**

Coverage : **12.5 pieces / m²**



Marseille 12 Solid Roof

A classic profile that never goes out of style. Marseille's double-valley shape creates a distinctive mediterranean look.



Technical Specifications


Overall Dimension : **420 x 260 mm**

Unit Weight : **~3.5 kg**

Min Roof Pitch : **20°**


Battern Spacing : **345 +/- 3 mm**

Coverage : **13.5 pieces / m²**



Finishing & Colours


Glazed



Maroon



Ocean Blue




Grey



Peach



Coral



Dark Green


Satin



Slate Grey



Grey



Black



Brown




Brown



Black

Earthy

Natural



Red



Autumn



Spring

Antique

The actual product, finishing and colours may vary from the images in this leaflet due to varying light conditions and limitations in the printing process.



CGI CLAY Roof Tiles



Supercool Creative Culture Sdn. Bhd.

(874137-M)

Supercool Roofing Sdn. Bhd.

(1142173-U)

www.supercool.com.my



562 777 207 352

(Supercool Creative Culture Sdn Bhd)



Design | Fabricate | Supply | Install



Kuala Lumpur

No 28, Jalan PP 16/3,
Perdana Industries Park,
Taman Putra Perdana,
47130 Puchong, Selangor.

Office : **03-5888 9169**

Careline : **1700 81 9169**

WhatsApp : **012-7219 169**

012-4288 990

012-3123 619

Email : **sales@supercool.com.my**

Johor Bahru

No 5, Jalan Ekoperniagaan 1/19,
Taman Ekoperniagaan,
81100 Johor Bahru.

Tel : **07-5952 928**


Fax : **07-5952 023**


HP : **012-7552 515**



**It Starts
With A
Solid Roof**

Supercool Creative Culture Sdn. Bhd. (874137-M)

 No 28, Jalan PP 16/3,
Perdana Industrial Park,
Taman Putra Perdana,
47130 Puchong, Selangor

 03-5888 9169 (Office)
1700 81 9169 (Careline)

 012-7219 169 / 012-4288 990 / 012-3123 619

 sales@supercool.com.my



DESIGN
FABRICATE
SUPPLY
INSTALL



SUPERCOOL CREATIVE CULTURE SDN. BHD. | SUPERCOOL ROOFING SDN. BHD.



562 777 207 352
(Supercool Creative Culture Sdn Bhd)

A WHOLE NEW EXPRESSION OF REFINED MODERN LIVING

www.supercool.com.my

1

LAMINATED GLASS SKYLIGHT

Regarded as a "safety glass," laminated glass is safe enough to be installed in many types of buildings. The beautiful structure can be used in combination with many wood types - chengal, balau, etc - or even mild steel.

It has soundproof properties and protects from harmful UV rays, thus providing shade and reduces heat.




ROOF TILES

Our roof tiles are designed with different textures, patterns and colors, to make sure that it fits into modern architecture design while offer other benefits like long lasting colors, good weather resistance, environmental friendly, and of course contemporarily designed and built.

These roof tiles are designed with an interlocking system, which makes it extra secure as well as for easy installation.

4



POLYCARBONATE SKYLIGHT

Our polycarbonate roofing is versatile in its application, makes their way to residential, commercial and industrial buildings. The availability of innovative structural designs have brought out the impressive versatility and full potential of this roofing material.

Polycarbonate roofing has become one of the immediate roofing choices in keeping with the goal of keeping costs and maintenance low without compromising superior quality. We can also take a step further, by implementing designs like fiberglass roofing accustomed to your demands.

2



LAMINATED SHINGLES

For durability, low maintenance, and great look at a very attractive price, look to our Cambridge premium architectural single. Double-layer construction and a tough, modified sealant provide for superior tear strength values and greater resistance to high winds.

Cambridge shingles are manufactured in a larger size than most, with the added exposure enhancing the shake-like appearance. Cambridge is available in the unique, computer-generated colour blends of our "Nature's Accents" colour series.

5

ALUMINIUM COMPOSITE ROOFING

Clean lines and extreme flatness have made the material a preferred choice in metal panels for commercial construction. It offers innovative, modern, beautiful, creative and practical design possibilities for a variety of applications.

3





6

TIMBER DECK

Hardwood timber decks provide a stylish addition to enhance your home space, with a unique wooden tone and grains. Timber decks are aesthetically and practically amazing for homes

The natural grains and wooden tones will render a unique yet timeless look and feel for your timber decks. Whether you prefer a weathered look, or a polished glaze, Supercool is here to help accomplish.



Supercool Creative Culture Sdn. Bhd.

(874137-M)



Kuala Lumpur

No 28, Jalan PP 16/3,
Perdana Industrial Park,
Taman Putra Perdana,
47130 Puchong, Selangor.

(Office) **03-5888 9169**
(Careline) **1700 81 9169**

012-7219 169
012-4288 990
012-3123 619

sales@supercool.com.my
www.supercool.com.my



562 777 207 352
(Supercool Creative Culture Sdn Bhd)

TIMBER DECK

The versatility of our deck
gives scope of architectural
expression

- Natural Wood
- Composite Wood
- Artificial Wood
- Engineer Wood

Design | Fabricate | Supply | Install





Own a
Beautiful Home
of Finely
Crafted
Landscape

Idyllic Walk Way and
Luxury Pool Side



Well-suited
to the Unique
Malaysian Climate



Naturally Durable
and Beautiful



Along with the Variety
of Styles and Sizes

Wood Type

Chengal

(Neobalanocarpus heimii)

Density : **915 - 980** kg/m³

Colour : **Yellow brown
with green tinge**

Strength Group : **SG1**



Red Balau

(Shorea Spp.)

Density : **800 - 880** kg/m³

Colour : **Red brown, purple
brown or grey**

Strength Group : **SG3**




Merbau

(Intsia palembanica, I. bijuga)

Density : **515 - 1040** kg/m³

Colour : **Golden brown to
dark red brown**

Strength Group : **SG4**



The actual product, finishing and colours may vary from the images in this leaflet due to varying light conditions and limitations in the printing process.