

Aluminium Composite Panel (ACP) is manufactured to the highest standard for outdoor shadings solution.

With the most stringent in house QC test, we are giving you the perfect outdoor shadings solution for today, and for years to come.

It provides curved and straight profiles in a choice of different colours to meet your aesthetic requirement.

ACP Dimensions

Standard Width : 1220mm

Standard Length : 2440mm (8ft)

3660mm (12ft)

4270mm (14ft)

4880mm (16ft)

6100mm (20ft)

Available Thickness : 4mm

Product Advantages

Easy and Fast Installation

Timeless Appearance

Colour Uniformity

Maintenance Free

Superior Machinability

Great Value of Price

Recyclable

Eco-Friendly

Panel Composition

Protective Film Colour Coating Pretreatment Aluminium Skin

Polyethylene Core

Aluminium Skin Pretreatment Colour Coating Protective Film



Steel Roof Truss System

Using high tensile steel, galvanized with Zinc and roll formed into studs, roof trusses or purlin.

- Excellent Accuracy & Consistency
- Light Weight & High Strength
- Cost Effective
- Minimal Maintenance
- Termite Resistance
- Wind Rate to Highest Category



C-Purlin

Top Hat Purlin

Material Specification

- Steel Grade: High Tensile Steel (ASTM A446 Grade D)
- Yield Stress: 345MPa (min)
- Yield Point: 345MPa (min)
- Tensile Strength: 450MPa (min)
- Zinc Coating: 275g/m2 (min)

Supercool Creative Culture Sdn. Bhd. (874137-M)



www.supercool.com.my

Headquarters

- No 28, Jalan PP 16/3, Perdana Industrial Park, Taman Putra Perdana, 47130 Puchong, Selangor.
- 03-5888 9169 / 1700 81 9169 (Careline)
- © 012-7219 169 / 012-4288 990 / 012-3123 619



562 777 207 352

(Supercool Creative Culture Sdn Bhd)







Recognized not only for its clarity, safety, security and energy savings, but also for the design freedom it provides to architects.



Design | Fabricate | Supply | Install



DECK ROOFING

A flawless design with careful installation which give a secure and trouble free products for years of enjoyment



Metal Tile

The most popular steel tile-shaped

profile in Malaysia. Not only beautifully design and elegant, it is economical and attractive solution to all roofing needs.




The best replacement for traditional clay tiles by architects and designers with minimum maintenance due to protective and corrosion inhibitive treatment.

E Metal Deck

Designed specially for efficient coverage for roofing and wall cladding. Offer great solution to all kind of industry needs with excellent strength and ease of assembly.



Designed and engineered to the highest standard of modern roofing technology. Suitable even in the most severe weather condition.







Product Tolerance

- Length +/- 10mm
- Width +/- 5mm
- Thickness +/- 0.02mm

Metal Sheet Colour Coat

Our roofing system uses polyester based system designed to protect the painted surface against dirt pick



Finish (Top) Coating

Chemical Pretreatment

Service (Backer) Coating

Primer CoatingChemical Pretreatment

Zinc Coating

Substrate =

Zinc Coating

Primer Coating

Front Side

le Reserve Side

Designed for **Strength & Beauty**

Give your home a unique look while combining modern design with durability.

Supercool Creative Culture Sdn. Bhd.

(874137-M)


www.supercool.com.my





Headquarters

Design | Fabricate | Supply | Install




- No 28, Jalan PP 16/3,
 Perdana Industrial Park,
 Taman Putra Perdana,
 47130 Puchong, Selangor.
- 03-5888 9169 1700 81 9169 (Careline)
- © 012-7219 169 012-4288 990 012-3123 619
- ✓ sales@supercool.com.my



562 777 207 352

(Supercool Creative Culture Sdn Bhd)



Gate Railing Fencing

- Balcony
- Garden
- Foot Path
- Pool Side








Recognized not only for its clarity, safety, security and energy savings, but also for the design freedom it provides to architects.

FENCING

Excellent Addition to your Outdoor Living Space



Additional feature with Glass railings add a touch of

modern sophistication.

Timber as our Companion

Create a peace-of-mind, comfortable, natural & relaxing living environment. **Supercool Creative Culture Sdn. Bhd.** (874137-M)


www.supercool.com.my





Fabricate | Supply | Design





Headquarters

- No 28, Jalan PP 16/3, Perdana Industrial Park, Taman Putra Perdana, 47130 Puchong, Selangor.
- 03-5888 9169 1700 81 9169 (Careline)
- © 012-7219 169 012-4288 990 012-3123 619
- sales@supercool.com.my



562 777 207 352

(Supercool Creative Culture Sdn Bhd)



Available **Roofing** • Roof Tiles



- **Materials** Laminated Shingles
 - ACP
 - Polycarbonate







Recognized not only for its clarity, safety, security and energy savings, but also for the design freedom it provides to architects.

GAZEBO

Turn your Garden into a Sanctuary







Your Own Personal Relaxation Getaway





A Classic Design for Your House with a **Natural Touch**

Our timber materials had gone through a special process to become anti-humid natural hard wood,



Inspire Positive Energy Around Your Home




Additional feature of water-resistant & easy to maintain.













Laminated Glass Skylight

Supercool Creative Culture Sdn. Bhd.

(874137-M)

No 28, Jalan PP 16/3, Perdana Industrial Park, Taman Putra Perdana, 47130 Puchong, Selangor.

Careline:

1700 81 9169

Office:

03-5888 9169

WhatsApp: 012-7219 169 012-4288 990 012-3123 619

Email: sales@supercool.com.my











562 777 207 352

(Supercool Creative Culture Sdn Bhd)



Energy Saving Laminated Safety Glass

Design | Fabricate | Supply | Install

www.supercool.com.my


Laminated Glass





A type of safety glass that holds together when shattered. In the event of breaking, It is held in place by an interlayer, typically of Polyvinyl Butyral (PVB). Ethylene-Vinyl Acetate (EVA), or Thermo-Plastic Polyurethane (TPU), between its two or more layers of glass.

Application

- Steam window, doors
- Glass car windscreen
- Hotel doors
- Greenhouse, Skylights & Roofs
- Wall cladding
- High risk building







Heat is generated by INFRARED. IRglass can reject 94.2%, compare 54.4% ordinary laminated glass. Therefore, it can save the electricity (air conditioning) used because heat has decreased.



Advantage



Specifications

Type of Glass	FULL IR Rejection (%)	UV Rejection(%)	VL Transmission	SHGC
12.38mm IRglass Clear Laminated Glass	90.7%	99.0%	74.6%	0.464
12.38mm Rglass Green Laminated Glass	93.9%	99.0%	61.9%	0.378
12.38mm IRglass Grey Laminated Glass	95.2%	99.0%	34.9%	0.219
12.38mm IRglass Bronze Laminated Glass	94.9%	99.0%	40.9%	0.254
12.38mm Rglass Blue Lamiated Glass	93.8%	99.0%	28.0%	0.186
12.38mm IRglass Translucent White Laminated Glass	98.1%	99.0%	6.90%	0.046
12.38mm IRglass Solid White Laminated Glass	100%	99.0%	0.10%	0.002

** Above data are just as reference and indicative figures. The actual performance may slightly vary and the data above is intended solely as guide.





Supercool Creative Culture Sdn. Bhd. (874137-M)

www.supercool.com.my













Kuala Lumpur

Design | Fabricate | Supply | Install

No 28, Jalan PP 16/3, Perdana Industrial Park. Taman Putra Perdana, 47130 Puchong, Selangor.

- **03-5888 9169 / 1700 81 9169** (Careline)
- © 012-7219 169 / 012-4288 990 / 012-3123 619

Laminated **Shingles Roof**

Laminated Shingles



For durability, low maintenance, and great looks at a very attractive price, look to our premium architectural shingles. Cambridge shingles are

- Class "A" Fire Resistance Rating*
- Limited wind warranty coverage up to 145 km/h (90 mph) for Cambridge 50 AR 112 KM/H (70 mph) for cambridge 30
- **←** Limited 50-year or 30-year Warranty*

built to last. Double-layer construction and a tough, modified sealant provide for superior tear strength values and greater resistance to high winds. Cambridge shingles are manufactured in a large size than most, with the added exposure enhancing the shake-like appearance. Cambridge is available in the unique, computer-generated colour blends of our "Nature's Accents" Colour series. Premium fibreglass asphlt shingle Laminated architectural design

Colour Collection



DUAL BLACK



HARVARD SLATE



DUAL BROWN



DRIFTWOOD



EARTHTONE



CHARCOAL




WEATHERWOOD




AGED REDWOOD



RIVIERA RED



NATIONAL BLUE





Specification

Limited Warranty : 30 Years Iron Clad Protection : 3 Years

Limited Wind Warranty: 115 km/h (72 mph)

Limited High Wind Warranty **Üpgrade**

: 125 km/h (78 mph)

Blue-green Algae Resistance

Length : 1038 mm (40 7/8 in)

: Yes

: 349 mm (13 3/4 in) Height

: 149 mm (5 7/8 in) Exposure

Coverage Per Bundle : 3.1 m² (33 1/3 ft²)

Standards

- ASTM D3462
- ASTM D3018
- ASTM D7158 Class H
- ASTM D3161 Class F
- ASTM E108 Class A



Supercool Creative Culture Sdn. Bhd. (874)37-M)

www.supercool.com.my



Design | Fabricate | Supply | Install



No 28, Jalan PP 16/3, Perdana Industrial Park, Taman Putra Perdana, 47130 Puchong, Selangor.



- **** 03-5888 9169 / 1700 81 9169 (Careline)
- © 012-7219 169 / 012-4288 990 / 012-3123 619
 - ✓ sales@supercool.com.my



562 777 207 352

(Supercool Creative Culture Sdn Bhd)



Recognized not only for its clarity, safety, security and energy savings, but also for the design freedom it provides to architects.



POLYCARBONATE SHEET

High performance PC Sheet products designed for industrial, commercial, leisure and domestic applications where insulating glazing is required.

Valuable Features



PC Sheet is available in several transparent colour. It offers a choice of smooth or textured surface. Perhaps even more useful are the following extraordinary features:

- Excellent transparency
- High plasticity-malleable into your required shapes
- Impact resistant, unbreakable and shockproof
- Heat-resistant and with fire extinguishing features
- Long-term anti-UV effectiveness
- Save electricity
- Energy savings
- Light weight but hard-only half the weight of glass and 250 times harder than glass and several
- hundred times harder than acrylic
- Easy transportability and installation
- Anti theft
- 10 years warranty
- High degree of transparency and thermal insulation



PC Sheet use virgin resin from top supplies all around the world. These quality - controlled raw materials, coupled with the stateof-the-art production technology assure that PC Sheet will meet or exceed the quality of any directly competitive product in the market today.










Suited for Varied Application

- Commercial Building High-rise and multidimentional complexes
- Individual outlets like banks, jewellery and fashion
- Boutiques, Showrooms, Hotels, Restaurants and Refilling Stations
- Industrial and Manufacturing Plants Residential
- Buildings Sports, Leisure and Recreational Building
 Structures













Supercool Creative Culture Sdn. Bhd.

www.supercool.com.my



562 777 207 352

(Supercool Creative Culture Sdn Bhd)



Kuala Lumpur

No 28, Jalan PP 16/3, Perdana Industrial Park, Taman Putra Perdana, 47130 Puchong, Selangor. Office: 03-5888 9169

> Careline: 1700 81 9169

WhatsApp : 012-7219 169 / 012-4288 990 / 012-3123 619

Email: sales@supercool.com.my















It Starts With A **Solid Roof**

S-Pentile Solid Roof

A unique wavy "S" profile with clean lines yielding bold European Architecture.



Technical Specifications

Overall Dimension: 420 x 280 mm

Unit Weight: ~3.5 kg

Min Roof Pitch: 20°

Battern Spacing: 345 +/- 3 mm

Coverage: 12.5 pieces / m²



Maseille 12 **Solid Roof**

A classic profile that never goes out of style. Marseille's double-valley shape creates a distinctive mediterranean look.



Technical Specifications

Overall Dimension: 420 x 260 mm

Unit Weight: ~3.5 kg

Min Roof Pitch: 20°

Battern Spacing: 345 +/- 3 mm

Coverage: 13.5 pieces / m²



Finishing & Colours

Glazed









Coral





Dark Green

Satin

Peach



Slate Grey





Grey



Brown



Earthy



Natural



Red



Autumn



The actual product, finishing and colours may vary from the images in this leaflet due to varing light conditions and limitations in the printing process.

Supercool Creative Culture Sdn. Bhd. (874137-M)

No 28, Jalan PP 16/3,
Perdana Industrial Park,
Taman Putra Perdana,
47130 Puchong, Selangor

03-5888 9169 (Office) 1700 81 9169 (Careline)

O12-7219 169 / O12-4288 990 / O12-3123 619

sales@supercool.com.my













A WHOLE NEW EXPRESSION OF REFINED MODERN LIVING

www.supercool.com.my



LAMINATED GLASS SKYLIGHT

Regarded as a "safety glass," laminated glass is safe enough to be installed in many types of buildings. The beautiful structure can be used in combination with many wood types - chengal, balau, etc - or even mild steel.

It has soundproof properties and protects from harmful UV rays, thus providing shade and reduces heat.



ROOF TILES

Our roof tiles are designed with different textures, patterns and colors, to make sure that it fits into modern architecture design while offer other benefits like long lasting colors, good weather resistance, environmental friendly, and of course contemporarily designed and built.


These roof tiles are designed with an interlocking system, which makes it extra secure as well as for easy installation.













Our polycarbonate roofing is versatile in its application, makes their way to residential, commercial and industrial buildings. The availability of innovative structural designs have brought out the impressive versatility and full potential of this roofing material.

Polycarbonate roofing has become one of the immediate roofing choices in keeping with the goal of keeping costs and maintenance low without compromising superior quality. We can also take a step further, by implementing designs like fiberglass roofing accustomed to your demands.







LAMINATED SHINGLES

For durability, low maintenance, and great look at a very attractive price, look to our Cambridge premium architectural single.

Double-layer construction and a tough, modified sealant provide for superior tear strength values and greater resistance to high winds.

Cambridge shingles are manufactured in a larger size than most, with the added exposure enhancing the shake-like appearance. Cambridge is available in the unique, computer-generated colour blends of our "Nature's Accents" colour series.



Clean lines and extreme flatness have made the material a preferred choice in metal panels for commercial construction. It offers innovative, modern, beautiful, creative and practical design possibilities for a variety of applications.





Ha ad

TIMBER DECK

Hardwood timber decks provide a stylish addition to enhance your home space, with a unique wooden tone and grains. Timber decks are aesthetically and practically amazing for homes

The natural grains and wooden tones will render a unique yet timeless look and feel for your timber decks. Whether you prefer a weathered look, or a polished glaze, Supercool is here to help accomplish.


















Own a Beautiful Home of Finely Crafted Landscape



Wood Type

Chengal

(Neobalanocarpus heimii)

Density: 915 - 980 kg/m³

Colour: Yellow brown

with green tinge

Strength Group: SG1







Well-suited to the Unique **Malaysian Climate** Naturally Durable and Beautiful



Red Balau

(Shorea Spp.)



Density: **800 - 880** kg/m³

Colour : Red brown, purple brown or grey

Strength Group: SG3

Merbau

(Intsia palembanica, I. bijuga)

Density: **515 - 1040** kg/m³

Colour: Golden brown to dark red brown

Strength Group: SG4



The actual product, finishing and colours may vary from the images in this leaflet due to varing light conditions and limitations in the printing process.